

INFORMATION TECHNOLOGY: PRACTICAL EXAMINATION

INSTRUCTIONS TO TEACHERS

1. For the examination requirements for Information Technology please read pages 2 – 8 of the *Subject Assessment Guidelines*.
2. The school will receive a data disk containing files for the examination. These should be checked by the Information Technology teacher two days before the examination. Please refer to the instructions concerning data files supplied on page 3. Copies of the data are provided later in this document for your reference.
3. Do not open the sealed envelopes containing the examination papers and marking guidelines until the day of the examination.
4. Each candidate must be supplied with a disk (or space on a network drive) for his/her exclusive use throughout the examination.
 - (a) No candidate may have access to another candidate's work during the examination.
 - (b) Disable any shared folders on the network.
 - (c) Ensure that the candidates cannot use their own flash drives or memory sticks. If your candidates normally use usernames and passwords then create a new username for each candidate.
5. Please ensure that the machines have been checked and all extraneous data/programs have been removed. Disable communications programs that will allow chatting or messaging. Ensure that no communication can take place between machines.
6. No candidate may access the Internet during the examination.
7. Information Technology teachers are allowed to invigilate the Information Technology examinations in case there are problems with the hardware and system software. Obviously, they may not assist the candidates in any way with their particular program(s).
8. The candidates may use the help facility that has been supplied with the programming language's software. They may not use any other manuals or documentation. In the case of Java, they may use the standard APIs available on the <java.sun.com> site. These should be downloaded **before** the examination and copied onto each candidate's disk space provided for the examination.

9. The three hours of the examination does not include printing time. It is exclusively for coding. At the end of the three hours, printing must be done either by the candidates, or if conditions are not suitable for this, by the Information Technology teacher. No code or data may be altered after the three-hour time period has expired.
10. Teachers must inform their candidates what printing arrangements have been made at their school.
11. In case of a power failure or other technical interruption, all candidates must remain silent and under examination conditions. Once the interruption has passed, candidates will have only the time that was remaining when the interruption began. No candidate may receive extra time to compensate for work lost from not saving prior to the interruption.
12. Please note that the Information Technology question paper has been divided into two sections: the first is for Structured Query Language (SQL) and the second for Object Oriented Programming. The two sections may be answered in any order and are independent of each other.
13. **INSTRUCTIONS FOR MARKING AND SUBMITTING THIS PRACTICAL EXAMINATION APPEAR ON THE MARKING GUIDELINES. PLEASE PAY CLOSE ATTENTION TO THIS DOCUMENT WHEN IT IS RELEASED.**

TO THE TEACHER RESPONSIBLE FOR CANDIDATES IN THE INFORMATION TECHNOLOGY PRACTICAL EXAMINATION

INSTRUCTIONS CONCERNING DATA FILES SUPPLIED ON DISK

You have been supplied with files on a CD. It is the responsibility of the Information Technology teacher to check **two days before the examination** that they can open the files and that the files can be read by the relevant applications. Printouts of the files are given, starting on the page following in this document. The details of the files are as follows:

Files for Learners: Please consult the folders on the CD.

Section A:

- SQL Answer Sheet.rtf
- BaggageDB.mdb
- BaggageDB.sql (MySQL import)
- SQL Browser software

Section B:

- tickets.txt

If you have any problems with accessing the files on disk, please notify the IEB immediately.

Individual copies of these files will be required by each candidate writing the Information Technology Practical Examination. Please copy the relevant files onto a disk for each candidate's exclusive use, or onto the disk space that will be used exclusively by each candidate.

The candidates are asked, in the question paper, to create backups of these files. However, it may be wise to keep a fresh set of these files on a flash drive so that copies may be quickly distributed to candidates who might alter their files and not have a backup to restore from.

Teachers are advised to supply only those files that are needed for the pupils in their centre (don't supply the MySQL files if your candidates are writing with Access or *vice versa*).

Confidentiality is of the utmost importance. Under no circumstances should candidates have access to these files before the examination.

After the examination, create a folder for each candidate using their name and examination number. Copy **ALL** the candidate's files into their particular folder. Be sure to include the data files that are accessed by the program. Ensure that the candidates have not used path names for the data files in their programs. If candidates have used full path names, the files sent to the IEB must reflect this. Teachers may change the code for the purpose of validating the program, but may NOT overwrite the original file. The CD should contain an exact copy of the candidates' work as it existed when the examination finished.

Send the CD with the marked practical examinations and the **updated** marksheet for **each candidate** in **one** envelope to the IEB. Ensure that you have attended the cluster group meetings and have used the updated mark schemes to mark all the practical exams.

FILES FOR LEARNERS

The following pages contain the hard-copy print-outs of the data supplied to each of the candidates.

SECTION A

BaggageDB.mdb

Passengers			
PassengerID	Fullname	Flight	Destination
1	Emma Glenn	FL101	Cape Town
2	Veda Bennett	FL203	Durban
3	Burton Wiley	FL405	Johannesburg
4	Zoe Rose	FL101	Cape Town
5	Alma Berg	FL405	Johannesburg
6	Calvin Rodgers	FL405	Johannesburg
7	Evelyn Wagner	FL203	Durban
8	Macy Mullins	FL405	Johannesburg
9	Nero Mercado	FL405	Johannesburg
10	Kimberly Lawrence	FL101	Cape Town
11	Francis Porter	FL203	Durban
12	Knox Schwartz	FL203	Durban
13	Tyrone Holt	FL405	Johannesburg
14	Shana Woodward	FL101	Cape Town
15	Hanna Martinez	FL101	Cape Town
16	Clio Chan	FL101	Cape Town
17	Kimberly Holcomb	FL405	Johannesburg
18	Vincent Daniels	FL203	Durban
19	Jack Curry	FL203	Durban
20	Lael Kidd	FL405	Johannesburg
21	Georgia Macias	FL101	Cape Town
22	Graiden Berger	FL203	Durban
23	Yoshi Simon	FL405	Johannesburg
24	Wylie Benson	FL405	Johannesburg
25	Lee Cash	FL101	Cape Town
26	Ursula Reid	FL101	Cape Town
27	Fulton Foster	FL101	Cape Town
28	Todd Estes	FL405	Johannesburg
29	Hashim Robertson	FL405	Johannesburg
30	Miriam Delaney	FL101	Cape Town
31	Gisela Christensen	FL405	Johannesburg
32	Hop Hull	FL101	Cape Town
33	Tate Gray	FL405	Johannesburg
34	Clarke May	FL101	Cape Town
35	Adena Finley	FL203	Durban

Passengers			
PassengerID	Fullname	Flight	Destination
36	Elvis Stewart	FL101	Cape Town
37	Palmer Parker	FL101	Cape Town
38	Reese Black	FL203	Durban
39	Moses Franks	FL101	Cape Town
40	Benjamin Shannon	FL203	Durban
41	Owen Davenport	FL405	Johannesburg
42	Yen Stark	FL101	Cape Town
43	Barry Chaney	FL101	Cape Town
44	Kuame Rich	FL101	Cape Town
45	Phoebe Atkins	FL203	Durban
46	Colleen Mann	FL101	Cape Town
47	Dean Reed	FL405	Johannesburg
48	Haley Bush	FL203	Durban
49	Keiko Bruce	FL203	Durban
50	Amery Harvey	FL405	Johannesburg
51	Alden Poole	FL203	Durban
52	Nayda Rose	FL405	Johannesburg
53	Hadassah Melton	FL203	Durban
54	Aspen Kelley	FL101	Cape Town
55	Reuben Durham	FL203	Durban
56	Demetrius Kirk	FL203	Durban
57	Lydia Delacruz	FL203	Durban
58	Lester Brock	FL203	Durban
59	Chastity Turner	FL203	Durban
60	McKenzie Stephens	FL405	Johannesburg
61	Cheryl Booth	FL203	Durban
62	Davis William	FL203	Durban
63	Dacey Tran	FL405	Johannesburg
64	Yoshio Wilkinson	FL203	Durban
65	Suki Baldwin	FL101	Cape Town
66	Kieran Johnston	FL405	Johannesburg
67	Kamal Walters	FL405	Johannesburg
68	Wing Mathews	FL101	Cape Town
69	Charissa Bass	FL405	Johannesburg
70	Hasad Stark	FL203	Durban
71	Colby Lott	FL203	Durban
72	Aimee Osborne	FL101	Cape Town
73	Karyn Pacheco	FL405	Johannesburg
74	Asher Graves	FL203	Durban
75	Dustin Rodriguez	FL405	Johannesburg

Baggage						
BaggageID	PassengerID	Weight	CheckInCounter	BaggageType	InsuredValue	Fragile
105640	61	28.93	1	Sporting Equipment	1648.1	True
106310	53	7.14	1	Parcel	1249.2	True
108210	50	1.57	2	Other	2054.1	False
112896	13	15.74	1	Sporting Equipment	710.8	False
114047	26	2	1	Suitcase	1729.7	True
117502	65	21.45	4	Other	693.3	False
119910	43	23.66	3	Other	2420.7	True
120622	30	20.24	2	Sporting Equipment	563.5	False
123568	33	24.69	3	Parcel	1515.4	True
130349	73	21.64	4	Parcel	148.7	True
135846	15	19.08	3	Suitcase	705.3	True
144163	15	6.54	3	Sporting Equipment	599.1	False
157491	2	12.11	6	Sporting Equipment	1784.2	True
168524	9	4.58	3	Other	2374.9	True
175071	59	29.55	2	Suitcase	1912.9	False
180426	4	25.33	4	Other	945.7	True
186002	50	18.39	2	Sporting Equipment	1604.9	False
186781	45	5.23	4	Suitcase	193.1	True
190898	73	23.25	4	Suitcase	1269	False
191526	10	1.98	5	Other	507.6	False
199652	54	2.13	5	Parcel	1685.8	True
210697	23	20.41	2	Parcel	1382.3	True
222208	29	29.15	3	Parcel	1566.4	True
224126	23	20.38	2	Parcel	1298.5	True
228213	48	21.17	6	Sporting Equipment	227.2	True
236430	19	28.08	2	Suitcase	540.4	False
240402	11	19.57	6	Suitcase	2326.2	True
243953	13	27.91	1	Other	1395.4	False
244284	49	4.94	2	Other	908.4	False
246685	20	27.06	3	Suitcase	171.3	True
250331	7	15.04	6	Parcel	611.6	False
253865	55	11.7	3	Parcel	868.5	False
260810	2	3.51	6	Sporting Equipment	230.7	False
278362	22	18.13	2	Suitcase	469.9	True
303706	43	18.96	3	Suitcase	2213.7	True
315695	24	19.54	2	Suitcase	690	False
321185	35	4.26	3	Suitcase	2095.8	True
328073	55	15.42	3	Suitcase	494.4	True
330291	17	11.93	6	Sporting Equipment	371.2	False
334687	71	13.76	5	Suitcase	2161.5	False
335841	38	17.95	6	Suitcase	2255.6	True
338908	13	13.81	1	Sporting Equipment	786.8	False

Baggage						
BaggageID	PassengerID	Weight	CheckInCounter	BaggageType	InsuredValue	Fragile
361784	42	15.82	3	Suitcase	408	True
363680	9	14.04	3	Parcel	283.2	False
368257	30	12.75	2	Parcel	1391.4	True
369787	57	19.76	5	Parcel	2090.7	True
370025	12	9.01	4	Other	1244.4	True
410452	41	8.82	2	Parcel	2277.5	True
413246	1	24.46	5	Sporting Equipment	883.3	False
417934	4	20.16	4	Suitcase	720.1	False
418006	57	19.46	5	Suitcase	780.7	True
422534	43	16.02	3	Suitcase	189.7	True
432922	55	26.21	3	Suitcase	2092.1	True
451607	68	17.18	1	Parcel	1744.2	False
461304	43	10.4	3	Suitcase	205	False
468205	49	1.39	2	Parcel	2131.7	False
469846	27	17.17	1	Parcel	802.3	False
471240	14	2.96	6	Parcel	961	False
481131	26	13.32	1	Parcel	2375.2	True
482152	57	25.03	5	Suitcase	1192	True
484698	12	20.99	4	Suitcase	1357	True
492094	1	1.76	5	Suitcase	1879.4	False
498677	30	17.12	2	Parcel	803.6	False
506130	60	20.74	3	Sporting Equipment	1826	True
524202	14	1.79	6	Other	2356	False
532474	3	6.68	1	Other	652.2	True
548927	48	8.26	6	Other	933.9	False
555325	7	9.76	6	Suitcase	1917.5	False
556766	28	4.83	3	Parcel	661	True
558983	49	27.65	2	Sporting Equipment	1810.4	False
562326	42	24.39	3	Suitcase	1656.9	False
564435	13	17.39	1	Parcel	370.2	True
565614	11	12.07	6	Parcel	1563.2	False
580955	56	10.55	3	Sporting Equipment	2182.4	False
584410	63	18.61	1	Other	2011.7	True
585953	71	9.07	5	Suitcase	585.9	False
596430	6	8.72	6	Sporting Equipment	1746.8	True
610225	66	3.88	5	Sporting Equipment	290.2	False
614314	6	15.95	6	Suitcase	1063.6	False
615505	47	23.01	6	Sporting Equipment	2207.8	True
627208	17	1.84	6	Sporting Equipment	985.4	True
637089	51	10.71	4	Suitcase	639.4	True
642568	30	18.68	2	Sporting Equipment	233.6	False
652238	60	16.15	3	Suitcase	100.5	False

Baggage						
BaggageID	PassengerID	Weight	CheckInCounter	BaggageType	InsuredValue	Fragile
652682	57	16.78	5	Suitcase	1588.4	False
654970	44	29.78	1	Sporting Equipment	202.6	False
655121	58	2.99	5	Suitcase	1318.4	True
655578	20	3.27	3	Parcel	2308.5	True
663846	1	10.19	5	Parcel	2312.4	False
666099	31	17.44	1	Sporting Equipment	1028.5	False
688558	27	12.35	1	Suitcase	2144.1	False
710149	1	11.57	5	Suitcase	2434.6	True
711766	10	12.97	5	Suitcase	2264.1	True
713484	15	9.54	3	Suitcase	743.4	False
715845	73	15.93	4	Sporting Equipment	1003.2	True
723414	53	16.67	1	Other	946.8	True
723694	38	12.35	6	Other	1649.9	True
727337	59	19.02	2	Suitcase	413.1	True
728393	33	14.22	3	Other	973.3	False
746734	29	22.25	3	Suitcase	491.2	True
748713	56	15.08	3	Sporting Equipment	1572.2	True
749303	25	28.71	1	Suitcase	960.8	False
762716	53	4.59	1	Suitcase	1670.2	True
766252	47	21.29	6	Parcel	1263.4	False
770521	22	4.65	2	Suitcase	1034.5	True
775622	33	29.51	3	Suitcase	824.1	False
777398	69	28.9	5	Suitcase	307.9	True
779946	42	1.61	3	Suitcase	1654.6	False
790630	18	20.35	1	Suitcase	2104.2	False
791304	39	19.21	2	Parcel	1019.5	True
799768	75	22.89	3	Suitcase	2439.6	True
803020	12	16.41	4	Sporting Equipment	538.5	False
803612	18	10.56	1	Other	1893.9	True
807479	6	13.67	6	Parcel	1140.5	False
811487	49	24.11	2	Suitcase	2230	True
832616	26	24.24	1	Parcel	2490.5	False
834585	56	4.09	3	Suitcase	892.8	False
836973	16	2.93	2	Suitcase	954.9	True
841656	70	18.37	1	Suitcase	916.5	True
842855	69	14.38	5	Parcel	606.6	True
846816	66	13.53	5	Other	1234.8	False
853661	26	1.13	1	Parcel	2105.6	False
861011	25	11.03	1	Suitcase	1543.7	False
861453	64	4.28	2	Suitcase	1223.4	False
862204	35	6.85	3	Parcel	1742.6	False
864792	53	28.9	1	Suitcase	2017.9	False

Baggage						
BaggageID	PassengerID	Weight	CheckInCounter	BaggageType	InsuredValue	Fragile
868352	16	4.51	2	Other	607.3	True
869319	42	8.99	3	Suitcase	959.4	False
869329	43	5.67	3	Sporting Equipment	388.2	False
876171	8	18	5	Suitcase	2430.3	True
878308	27	14.43	1	Suitcase	845	False
878879	2	19.96	6	Sporting Equipment	751.3	False
879591	12	24.95	4	Sporting Equipment	1866.1	False
883064	20	29.96	3	Suitcase	1621.6	True
892992	75	14.55	3	Suitcase	947.6	True
894183	12	27.75	4	Parcel	1196.3	False
895701	35	19.03	3	Parcel	2340.5	False
900899	59	29.35	2	Sporting Equipment	184.6	True
918239	29	15.13	3	Parcel	1740.5	True
919685	61	28.87	1	Suitcase	816.1	False
923550	10	10.17	5	Parcel	194.1	True
932454	10	20.31	5	Suitcase	352.7	True
936717	49	2.24	2	Suitcase	1740.1	False
943562	60	24.65	3	Suitcase	1353.3	False
950814	67	1.25	5	Parcel	2111.3	False
966831	1	15.31	5	Suitcase	2201.2	True
968481	59	12.74	2	Sporting Equipment	139.3	False
978472	57	1.07	5	Suitcase	1941.4	True
988640	26	23.42	1	Parcel	1582.5	True
989365	37	10.35	6	Suitcase	2014.6	True

Claims			
ClaimID	BaggageID	Description	Reference
1	978472	Other	
2	418006	Other	
3	119910	Breakage	
4	879591	Lost in Transit	
5	900899	Breakage	
6	117502	Theft	
7	555325	Theft	
8	130349	Other	
9	895701	Breakage	
10	596430	Other	
11	108210	Breakage	
12	883064	Breakage	
13	180426	Breakage	
14	585953	Theft	
15	892992	Breakage	

BaggageDB.sql

```
CREATE DATABASE IF NOT EXISTS `BaggageDB`;
USE `BaggageDB`;

#
# Table structure for table 'Baggage'
#

DROP TABLE IF EXISTS `Baggage`;

CREATE TABLE `Baggage` (
  `BaggageID` INTEGER NOT NULL,
  `PassengerID` INTEGER,
  `Weight` DOUBLE NULL,
  `CheckInCounter` INTEGER,
  `BaggageType` VARCHAR(30),
  `InsuredValue` DOUBLE NULL,
  `Fragile` BOOLEAN DEFAULT FALSE,
  PRIMARY KEY (`BaggageID`)
) ENGINE=myisam DEFAULT CHARSET=utf8;

SET autocommit=1;

#
# Dumping data for table 'Baggage'
#

INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(105640, 61, 28.93, 1, 'Sporting Equipment', 1648.1, 1);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(106310, 53, 7.14, 1, 'Parcel', 1249.2, 1);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(108210, 50, 1.57, 2, 'Other', 2054.1, 0);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(112896, 13, 15.74, 1, 'Sporting Equipment', 710.8, 0);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(114047, 26, 2, 1, 'Suitcase', 1729.7, 1);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(117502, 65, 21.45, 4, 'Other', 693.3, 0);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(119910, 43, 23.66, 3, 'Other', 2420.7, 1);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(120622, 30, 20.24, 2, 'Sporting Equipment', 563.5, 0);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(123568, 33, 24.69, 3, 'Parcel', 1515.4, 1);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(130349, 73, 21.64, 4, 'Parcel', 148.7, 1);
```

```
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,  
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES  
(135846, 15, 19.08, 3, 'Suitcase', 705.3, 1);  
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,  
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES  
(144163, 15, 6.54, 3, 'Sporting Equipment', 599.1, 0);  
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,  
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES  
(157491, 2, 12.11, 6, 'Sporting Equipment', 1784.2, 1);  
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,  
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES  
(168524, 9, 4.58, 3, 'Other', 2374.9, 1);  
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,  
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES  
(175071, 59, 29.55, 2, 'Suitcase', 1912.9, 0);  
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,  
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES  
(180426, 4, 25.33, 4, 'Other', 945.7, 1);  
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,  
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES  
(186002, 50, 18.39, 2, 'Sporting Equipment', 1604.9, 0);  
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,  
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES  
(186781, 45, 5.23, 4, 'Suitcase', 193.1, 1);  
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,  
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES  
(190898, 73, 23.25, 4, 'Suitcase', 1269, 0);  
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,  
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES  
(191526, 10, 1.98, 5, 'Other', 507.6, 0);  
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,  
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES  
(199652, 54, 2.13, 5, 'Parcel', 1685.8, 1);  
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,  
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES  
(210697, 23, 20.41, 2, 'Parcel', 1382.3, 1);  
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,  
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES  
(222208, 29, 29.15, 3, 'Parcel', 1566.4, 1);  
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,  
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES  
(224126, 23, 20.38, 2, 'Parcel', 1298.5, 1);  
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,  
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES  
(228213, 48, 21.17, 6, 'Sporting Equipment', 227.2, 1);  
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,  
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES  
(236430, 19, 28.08, 2, 'Suitcase', 540.4, 0);  
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,  
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES  
(240402, 11, 19.57, 6, 'Suitcase', 2326.2, 1);  
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,  
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES  
(243953, 13, 27.91, 1, 'Other', 1395.4, 0);  
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,  
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES  
(244284, 49, 4.94, 2, 'Other', 908.4, 0);
```

```

INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(246685, 20, 27.06, 3, 'Suitcase', 171.3, 1);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(250331, 7, 15.04, 6, 'Parcel', 611.6, 0);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(253865, 55, 11.7, 3, 'Parcel', 868.5, 0);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(260810, 2, 3.51, 6, 'Sporting Equipment', 230.7, 0);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(278362, 22, 18.13, 2, 'Suitcase', 469.9, 1);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(303706, 43, 18.96, 3, 'Suitcase', 2213.7, 1);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(315695, 24, 19.54, 2, 'Suitcase', 690, 0);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(321185, 35, 4.26, 3, 'Suitcase', 2095.8, 1);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(328073, 55, 15.42, 3, 'Suitcase', 494.4, 1);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(330291, 17, 11.93, 6, 'Sporting Equipment', 371.2, 0);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(334687, 71, 13.76, 5, 'Suitcase', 2161.5, 0);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(335841, 38, 17.95, 6, 'Suitcase', 2255.6, 1);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(338908, 13, 13.81, 1, 'Sporting Equipment', 786.8, 0);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(361784, 42, 15.82, 3, 'Suitcase', 408, 1);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(363680, 9, 14.04, 3, 'Parcel', 283.2, 0);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(368257, 30, 12.75, 2, 'Parcel', 1391.4, 1);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(369787, 57, 19.76, 5, 'Parcel', 2090.7, 1);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(370025, 12, 9.01, 4, 'Other', 1244.4, 1);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(410452, 41, 8.82, 2, 'Parcel', 2277.5, 1);

```

```

INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(413246, 1, 24.46, 5, 'Sporting Equipment', 883.3, 0);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(417934, 4, 20.16, 4, 'Suitcase', 720.1, 0);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(418006, 57, 19.46, 5, 'Suitcase', 780.7, 1);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(422534, 43, 16.02, 3, 'Suitcase', 189.7, 1);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(432922, 55, 26.21, 3, 'Suitcase', 2092.1, 1);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(451607, 68, 17.18, 1, 'Parcel', 1744.2, 0);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(461304, 43, 10.4, 3, 'Suitcase', 205, 0);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(468205, 49, 1.39, 2, 'Parcel', 2131.7, 0);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(469846, 27, 17.17, 1, 'Parcel', 802.3, 0);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(471240, 14, 2.96, 6, 'Parcel', 961, 0);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(481131, 26, 13.32, 1, 'Parcel', 2375.2, 1);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(482152, 57, 25.03, 5, 'Suitcase', 1192, 1);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(484698, 12, 20.99, 4, 'Suitcase', 1357, 1);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(492094, 1, 1.76, 5, 'Suitcase', 1879.4, 0);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(498677, 30, 17.12, 2, 'Parcel', 803.6, 0);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(506130, 60, 20.74, 3, 'Sporting Equipment', 1826, 1);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(524202, 14, 1.79, 6, 'Other', 2356, 0);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(532474, 3, 6.68, 1, 'Other', 652.2, 1);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(548927, 48, 8.26, 6, 'Other', 933.9, 0);

```

```

INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(555325, 7, 9.76, 6, 'Suitcase', 1917.5, 0);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(556766, 28, 4.83, 3, 'Parcel', 661, 1);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(558983, 49, 27.65, 2, 'Sporting Equipment', 1810.4, 0);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(562326, 42, 24.39, 3, 'Suitcase', 1656.9, 0);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(564435, 13, 17.39, 1, 'Parcel', 370.2, 1);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(565614, 11, 12.07, 6, 'Parcel', 1563.2, 0);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(580955, 56, 10.55, 3, 'Sporting Equipment', 2182.4, 0);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(584410, 63, 18.61, 1, 'Other', 2011.7, 1);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(585953, 71, 9.07, 5, 'Suitcase', 585.9, 0);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(596430, 6, 8.72, 6, 'Sporting Equipment', 1746.8, 1);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(610225, 66, 3.88, 5, 'Sporting Equipment', 290.2, 0);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(614314, 6, 15.95, 6, 'Suitcase', 1063.6, 0);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(615505, 47, 23.01, 6, 'Sporting Equipment', 2207.8, 1);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(627208, 17, 1.84, 6, 'Sporting Equipment', 985.4, 1);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(637089, 51, 10.71, 4, 'Suitcase', 639.4, 1);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(642568, 30, 18.68, 2, 'Sporting Equipment', 233.6, 0);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(652238, 60, 16.15, 3, 'Suitcase', 100.5, 0);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(652682, 57, 16.78, 5, 'Suitcase', 1588.4, 0);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(654970, 44, 29.78, 1, 'Sporting Equipment', 202.6, 0);

```

```
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,  
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES  
(655121, 58, 2.99, 5, 'Suitcase', 1318.4, 1);  
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,  
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES  
(655578, 20, 3.27, 3, 'Parcel', 2308.5, 1);  
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,  
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES  
(663846, 1, 10.19, 5, 'Parcel', 2312.4, 0);  
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,  
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES  
(666099, 31, 17.44, 1, 'Sporting Equipment', 1028.5, 0);  
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,  
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES  
(688558, 27, 12.35, 1, 'Suitcase', 2144.1, 0);  
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,  
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES  
(710149, 1, 11.57, 5, 'Suitcase', 2434.6, 1);  
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,  
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES  
(711766, 10, 12.97, 5, 'Suitcase', 2264.1, 1);  
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,  
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES  
(713484, 15, 9.54, 3, 'Suitcase', 743.4, 0);  
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,  
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES  
(715845, 73, 15.93, 4, 'Sporting Equipment', 1003.2, 1);  
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,  
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES  
(723414, 53, 16.67, 1, 'Other', 946.8, 1);  
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,  
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES  
(723694, 38, 12.35, 6, 'Other', 1649.9, 1);  
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,  
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES  
(727337, 59, 19.02, 2, 'Suitcase', 413.1, 1);  
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,  
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES  
(728393, 33, 14.22, 3, 'Other', 973.3, 0);  
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,  
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES  
(746734, 29, 22.25, 3, 'Suitcase', 491.2, 1);  
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,  
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES  
(748713, 56, 15.08, 3, 'Sporting Equipment', 1572.2, 1);  
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,  
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES  
(749303, 25, 28.71, 1, 'Suitcase', 960.8, 0);  
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,  
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES  
(762716, 53, 4.59, 1, 'Suitcase', 1670.2, 1);  
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,  
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES  
(766252, 47, 21.29, 6, 'Parcel', 1263.4, 0);  
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,  
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES  
(770521, 22, 4.65, 2, 'Suitcase', 1034.5, 1);
```

```

INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(775622, 33, 29.51, 3, 'Suitcase', 824.1, 0);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(777398, 69, 28.9, 5, 'Suitcase', 307.9, 1);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(779946, 42, 1.61, 3, 'Suitcase', 1654.6, 0);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(790630, 18, 20.35, 1, 'Suitcase', 2104.2, 0);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(791304, 39, 19.21, 2, 'Parcel', 1019.5, 1);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(799768, 75, 22.89, 3, 'Suitcase', 2439.6, 1);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(803020, 12, 16.41, 4, 'Sporting Equipment', 538.5, 0);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(803612, 18, 10.56, 1, 'Other', 1893.9, 1);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(807479, 6, 13.67, 6, 'Parcel', 1140.5, 0);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(811487, 49, 24.11, 2, 'Suitcase', 2230, 1);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(832616, 26, 24.24, 1, 'Parcel', 2490.5, 0);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(834585, 56, 4.09, 3, 'Suitcase', 892.8, 0);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(836973, 16, 2.93, 2, 'Suitcase', 954.9, 1);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(841656, 70, 18.37, 1, 'Suitcase', 916.5, 1);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(842855, 69, 14.38, 5, 'Parcel', 606.6, 1);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(846816, 66, 13.53, 5, 'Other', 1234.8, 0);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(853661, 26, 1.13, 1, 'Parcel', 2105.6, 0);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(861011, 25, 11.03, 1, 'Suitcase', 1543.7, 0);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(861453, 64, 4.28, 2, 'Suitcase', 1223.4, 0);

```



```

INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(862204, 35, 6.85, 3, 'Parcel', 1742.6, 0);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(864792, 53, 28.9, 1, 'Suitcase', 2017.9, 0);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(868352, 16, 4.51, 2, 'Other', 607.3, 1);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(869319, 42, 8.99, 3, 'Suitcase', 959.4, 0);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(869329, 43, 5.67, 3, 'Sporting Equipment', 388.2, 0);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(876171, 8, 18, 5, 'Suitcase', 2430.3, 1);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(878308, 27, 14.43, 1, 'Suitcase', 845, 0);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(878879, 2, 19.96, 6, 'Sporting Equipment', 751.3, 0);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(879591, 12, 24.95, 4, 'Sporting Equipment', 1866.1, 0);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(883064, 20, 29.96, 3, 'Suitcase', 1621.6, 1);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(892992, 75, 14.55, 3, 'Suitcase', 947.6, 1);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(894183, 12, 27.75, 4, 'Parcel', 1196.3, 0);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(895701, 35, 19.03, 3, 'Parcel', 2340.5, 0);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(900899, 59, 29.35, 2, 'Sporting Equipment', 184.6, 1);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(918239, 29, 15.13, 3, 'Parcel', 1740.5, 1);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(919685, 61, 28.87, 1, 'Suitcase', 816.1, 0);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(923550, 10, 10.17, 5, 'Parcel', 194.1, 1);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(932454, 10, 20.31, 5, 'Suitcase', 352.7, 1);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(936717, 49, 2.24, 2, 'Suitcase', 1740.1, 0);

```

```
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(943562, 60, 24.65, 3, 'Suitcase', 1353.3, 0);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(950814, 67, 1.25, 5, 'Parcel', 2111.3, 0);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(966831, 1, 15.31, 5, 'Suitcase', 2201.2, 1);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(968481, 59, 12.74, 2, 'Sporting Equipment', 139.3, 0);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(978472, 57, 1.07, 5, 'Suitcase', 1941.4, 1);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(988640, 26, 23.42, 1, 'Parcel', 1582.5, 1);
INSERT INTO `Baggage` (`BaggageID`, `PassengerID`, `Weight`,
`CheckInCounter`, `BaggageType`, `InsuredValue`, `Fragile`) VALUES
(989365, 37, 10.35, 6, 'Suitcase', 2014.6, 1);
# 150 records
```

```
#
# Table structure for table 'Claims'
#
```

```
DROP TABLE IF EXISTS `Claims`;
```

```
CREATE TABLE `Claims` (
  `ClaimID` INTEGER NOT NULL,
  `BaggageID` INTEGER,
  `Description` VARCHAR(25),
  `Reference` VARCHAR(20),
  PRIMARY KEY (`ClaimID`)
) ENGINE=myisam DEFAULT CHARSET=utf8;
```

```
SET autocommit=1;
```

```
#
# Dumping data for table 'Claims'
#
```

```
INSERT INTO `Claims` (`ClaimID`, `BaggageID`, `Description`,
`Reference`) VALUES (1, 978472, 'Other', NULL);
INSERT INTO `Claims` (`ClaimID`, `BaggageID`, `Description`,
`Reference`) VALUES (2, 418006, 'Other', NULL);
INSERT INTO `Claims` (`ClaimID`, `BaggageID`, `Description`,
`Reference`) VALUES (3, 119910, 'Breakage', NULL);
INSERT INTO `Claims` (`ClaimID`, `BaggageID`, `Description`,
`Reference`) VALUES (4, 879591, 'Lost in Transit', NULL);
INSERT INTO `Claims` (`ClaimID`, `BaggageID`, `Description`,
`Reference`) VALUES (5, 900899, 'Breakage', NULL);
INSERT INTO `Claims` (`ClaimID`, `BaggageID`, `Description`,
`Reference`) VALUES (6, 117502, 'Theft', NULL);
INSERT INTO `Claims` (`ClaimID`, `BaggageID`, `Description`,
`Reference`) VALUES (7, 555325, 'Theft', NULL);
```

```
INSERT INTO `Claims` (`ClaimID`, `BaggageID`, `Description`,
`Reference`) VALUES (8, 130349, 'Other', NULL);
INSERT INTO `Claims` (`ClaimID`, `BaggageID`, `Description`,
`Reference`) VALUES (9, 895701, 'Breakage', NULL);
INSERT INTO `Claims` (`ClaimID`, `BaggageID`, `Description`,
`Reference`) VALUES (10, 596430, 'Other', NULL);
INSERT INTO `Claims` (`ClaimID`, `BaggageID`, `Description`,
`Reference`) VALUES (11, 108210, 'Breakage', NULL);
INSERT INTO `Claims` (`ClaimID`, `BaggageID`, `Description`,
`Reference`) VALUES (12, 883064, 'Breakage', NULL);
INSERT INTO `Claims` (`ClaimID`, `BaggageID`, `Description`,
`Reference`) VALUES (13, 180426, 'Breakage', NULL);
INSERT INTO `Claims` (`ClaimID`, `BaggageID`, `Description`,
`Reference`) VALUES (14, 585953, 'Theft', NULL);
INSERT INTO `Claims` (`ClaimID`, `BaggageID`, `Description`,
`Reference`) VALUES (15, 892992, 'Breakage', NULL);
# 15 records
```

```
#
# Table structure for table 'Passengers'
#
```

```
DROP TABLE IF EXISTS `Passengers`;
```

```
CREATE TABLE `Passengers` (
  `PassengerID` INTEGER NOT NULL,
  `Fullname` VARCHAR(100),
  `Flight` VARCHAR(6),
  `Destination` VARCHAR(20),
  PRIMARY KEY (`PassengerID`)
) ENGINE=myisam DEFAULT CHARSET=utf8;
```

```
SET autocommit=1;
```

```
#
# Dumping data for table 'Passengers'
#
```

```
INSERT INTO `Passengers` (`PassengerID`, `Fullname`, `Flight`,
`Destination`) VALUES (1, 'Emma Glenn', 'FL101', 'Cape Town');
INSERT INTO `Passengers` (`PassengerID`, `Fullname`, `Flight`,
`Destination`) VALUES (2, 'Veda Bennett', 'FL203', 'Durban');
INSERT INTO `Passengers` (`PassengerID`, `Fullname`, `Flight`,
`Destination`) VALUES (3, 'Burton Wiley', 'FL405', 'Johannesburg');
INSERT INTO `Passengers` (`PassengerID`, `Fullname`, `Flight`,
`Destination`) VALUES (4, 'Zoe Rose', 'FL101', 'Cape Town');
INSERT INTO `Passengers` (`PassengerID`, `Fullname`, `Flight`,
`Destination`) VALUES (5, 'Alma Berg', 'FL405', 'Johannesburg');
INSERT INTO `Passengers` (`PassengerID`, `Fullname`, `Flight`,
`Destination`) VALUES (6, 'Calvin Rodgers', 'FL405', 'Johannesburg');
INSERT INTO `Passengers` (`PassengerID`, `Fullname`, `Flight`,
`Destination`) VALUES (7, 'Evelyn Wagner', 'FL203', 'Durban');
INSERT INTO `Passengers` (`PassengerID`, `Fullname`, `Flight`,
`Destination`) VALUES (8, 'Macy Mullins', 'FL405', 'Johannesburg');
INSERT INTO `Passengers` (`PassengerID`, `Fullname`, `Flight`,
`Destination`) VALUES (9, 'Nero Mercado', 'FL405', 'Johannesburg');
INSERT INTO `Passengers` (`PassengerID`, `Fullname`, `Flight`,
`Destination`) VALUES (10, 'Kimberly Lawrence', 'FL101', 'Cape Town');
```

```

INSERT INTO `Passengers` (`PassengerID`, `Fullname`, `Flight`,
`Destination`) VALUES (11, 'Francis Porter', 'FL203', 'Durban');
INSERT INTO `Passengers` (`PassengerID`, `Fullname`, `Flight`,
`Destination`) VALUES (12, 'Knox Schwartz', 'FL203', 'Durban');
INSERT INTO `Passengers` (`PassengerID`, `Fullname`, `Flight`,
`Destination`) VALUES (13, 'Tyrone Holt', 'FL405', 'Johannesburg');
INSERT INTO `Passengers` (`PassengerID`, `Fullname`, `Flight`,
`Destination`) VALUES (14, 'Shana Woodward', 'FL101', 'Cape Town');
INSERT INTO `Passengers` (`PassengerID`, `Fullname`, `Flight`,
`Destination`) VALUES (15, 'Hanna Martinez', 'FL101', 'Cape Town');
INSERT INTO `Passengers` (`PassengerID`, `Fullname`, `Flight`,
`Destination`) VALUES (16, 'Clio Chan', 'FL101', 'Cape Town');
INSERT INTO `Passengers` (`PassengerID`, `Fullname`, `Flight`,
`Destination`) VALUES (17, 'Kimberly Holcomb', 'FL405', 'Johannesburg');
INSERT INTO `Passengers` (`PassengerID`, `Fullname`, `Flight`,
`Destination`) VALUES (18, 'Vincent Daniels', 'FL203', 'Durban');
INSERT INTO `Passengers` (`PassengerID`, `Fullname`, `Flight`,
`Destination`) VALUES (19, 'Jack Curry', 'FL203', 'Durban');
INSERT INTO `Passengers` (`PassengerID`, `Fullname`, `Flight`,
`Destination`) VALUES (20, 'Lael Kidd', 'FL405', 'Johannesburg');
INSERT INTO `Passengers` (`PassengerID`, `Fullname`, `Flight`,
`Destination`) VALUES (21, 'Georgia Macias', 'FL101', 'Cape Town');
INSERT INTO `Passengers` (`PassengerID`, `Fullname`, `Flight`,
`Destination`) VALUES (22, 'Graiden Berger', 'FL203', 'Durban');
INSERT INTO `Passengers` (`PassengerID`, `Fullname`, `Flight`,
`Destination`) VALUES (23, 'Yoshi Simon', 'FL405', 'Johannesburg');
INSERT INTO `Passengers` (`PassengerID`, `Fullname`, `Flight`,
`Destination`) VALUES (24, 'Wylie Benson', 'FL405', 'Johannesburg');
INSERT INTO `Passengers` (`PassengerID`, `Fullname`, `Flight`,
`Destination`) VALUES (25, 'Lee Cash', 'FL101', 'Cape Town');
INSERT INTO `Passengers` (`PassengerID`, `Fullname`, `Flight`,
`Destination`) VALUES (26, 'Ursula Reid', 'FL101', 'Cape Town');
INSERT INTO `Passengers` (`PassengerID`, `Fullname`, `Flight`,
`Destination`) VALUES (27, 'Fulton Foster', 'FL101', 'Cape Town');
INSERT INTO `Passengers` (`PassengerID`, `Fullname`, `Flight`,
`Destination`) VALUES (28, 'Todd Estes', 'FL405', 'Johannesburg');
INSERT INTO `Passengers` (`PassengerID`, `Fullname`, `Flight`,
`Destination`) VALUES (29, 'Hashim Robertson', 'FL405', 'Johannesburg');
INSERT INTO `Passengers` (`PassengerID`, `Fullname`, `Flight`,
`Destination`) VALUES (30, 'Miriam Delaney', 'FL101', 'Cape Town');
INSERT INTO `Passengers` (`PassengerID`, `Fullname`, `Flight`,
`Destination`) VALUES (31, 'Gisela Christensen', 'FL405',
'Johannesburg');
INSERT INTO `Passengers` (`PassengerID`, `Fullname`, `Flight`,
`Destination`) VALUES (32, 'Hop Hull', 'FL101', 'Cape Town');
INSERT INTO `Passengers` (`PassengerID`, `Fullname`, `Flight`,
`Destination`) VALUES (33, 'Tate Gray', 'FL405', 'Johannesburg');
INSERT INTO `Passengers` (`PassengerID`, `Fullname`, `Flight`,
`Destination`) VALUES (34, 'Clarke May', 'FL101', 'Cape Town');
INSERT INTO `Passengers` (`PassengerID`, `Fullname`, `Flight`,
`Destination`) VALUES (35, 'Adena Finley', 'FL203', 'Durban');
INSERT INTO `Passengers` (`PassengerID`, `Fullname`, `Flight`,
`Destination`) VALUES (36, 'Elvis Stewart', 'FL101', 'Cape Town');
INSERT INTO `Passengers` (`PassengerID`, `Fullname`, `Flight`,
`Destination`) VALUES (37, 'Palmer Parker', 'FL101', 'Cape Town');
INSERT INTO `Passengers` (`PassengerID`, `Fullname`, `Flight`,
`Destination`) VALUES (38, 'Reese Black', 'FL203', 'Durban');

```

```

INSERT INTO `Passengers` (`PassengerID`, `Fullname`, `Flight`,
`Destination`) VALUES (39, 'Moses Franks', 'FL101', 'Cape Town');
INSERT INTO `Passengers` (`PassengerID`, `Fullname`, `Flight`,
`Destination`) VALUES (40, 'Benjamin Shannon', 'FL203', 'Durban');
INSERT INTO `Passengers` (`PassengerID`, `Fullname`, `Flight`,
`Destination`) VALUES (41, 'Owen Davenport', 'FL405', 'Johannesburg');
INSERT INTO `Passengers` (`PassengerID`, `Fullname`, `Flight`,
`Destination`) VALUES (42, 'Yen Stark', 'FL101', 'Cape Town');
INSERT INTO `Passengers` (`PassengerID`, `Fullname`, `Flight`,
`Destination`) VALUES (43, 'Barry Chaney', 'FL101', 'Cape Town');
INSERT INTO `Passengers` (`PassengerID`, `Fullname`, `Flight`,
`Destination`) VALUES (44, 'Kuame Rich', 'FL101', 'Cape Town');
INSERT INTO `Passengers` (`PassengerID`, `Fullname`, `Flight`,
`Destination`) VALUES (45, 'Phoebe Atkins', 'FL203', 'Durban');
INSERT INTO `Passengers` (`PassengerID`, `Fullname`, `Flight`,
`Destination`) VALUES (46, 'Colleen Mann', 'FL101', 'Cape Town');
INSERT INTO `Passengers` (`PassengerID`, `Fullname`, `Flight`,
`Destination`) VALUES (47, 'Dean Reed', 'FL405', 'Johannesburg');
INSERT INTO `Passengers` (`PassengerID`, `Fullname`, `Flight`,
`Destination`) VALUES (48, 'Haley Bush', 'FL203', 'Durban');
INSERT INTO `Passengers` (`PassengerID`, `Fullname`, `Flight`,
`Destination`) VALUES (49, 'Keiko Bruce', 'FL203', 'Durban');
INSERT INTO `Passengers` (`PassengerID`, `Fullname`, `Flight`,
`Destination`) VALUES (50, 'Amery Harvey', 'FL405', 'Johannesburg');
INSERT INTO `Passengers` (`PassengerID`, `Fullname`, `Flight`,
`Destination`) VALUES (51, 'Alden Poole', 'FL203', 'Durban');
INSERT INTO `Passengers` (`PassengerID`, `Fullname`, `Flight`,
`Destination`) VALUES (52, 'Nayda Rose', 'FL405', 'Johannesburg');
INSERT INTO `Passengers` (`PassengerID`, `Fullname`, `Flight`,
`Destination`) VALUES (53, 'Hadassah Melton', 'FL203', 'Durban');
INSERT INTO `Passengers` (`PassengerID`, `Fullname`, `Flight`,
`Destination`) VALUES (54, 'Aspen Kelley', 'FL101', 'Cape Town');
INSERT INTO `Passengers` (`PassengerID`, `Fullname`, `Flight`,
`Destination`) VALUES (55, 'Reuben Durham', 'FL203', 'Durban');
INSERT INTO `Passengers` (`PassengerID`, `Fullname`, `Flight`,
`Destination`) VALUES (56, 'Demetrius Kirk', 'FL203', 'Durban');
INSERT INTO `Passengers` (`PassengerID`, `Fullname`, `Flight`,
`Destination`) VALUES (57, 'Lydia Delacruz', 'FL203', 'Durban');
INSERT INTO `Passengers` (`PassengerID`, `Fullname`, `Flight`,
`Destination`) VALUES (58, 'Lester Brock', 'FL203', 'Durban');
INSERT INTO `Passengers` (`PassengerID`, `Fullname`, `Flight`,
`Destination`) VALUES (59, 'Chastity Turner', 'FL203', 'Durban');
INSERT INTO `Passengers` (`PassengerID`, `Fullname`, `Flight`,
`Destination`) VALUES (60, 'McKenzie Stephens', 'FL405',
'Johannesburg');
INSERT INTO `Passengers` (`PassengerID`, `Fullname`, `Flight`,
`Destination`) VALUES (61, 'Cheryl Booth', 'FL203', 'Durban');
INSERT INTO `Passengers` (`PassengerID`, `Fullname`, `Flight`,
`Destination`) VALUES (62, 'Davis William', 'FL203', 'Durban');
INSERT INTO `Passengers` (`PassengerID`, `Fullname`, `Flight`,
`Destination`) VALUES (63, 'Dacey Tran', 'FL405', 'Johannesburg');
INSERT INTO `Passengers` (`PassengerID`, `Fullname`, `Flight`,
`Destination`) VALUES (64, 'Yoshio Wilkinson', 'FL203', 'Durban');
INSERT INTO `Passengers` (`PassengerID`, `Fullname`, `Flight`,
`Destination`) VALUES (65, 'Suki Baldwin', 'FL101', 'Cape Town');
INSERT INTO `Passengers` (`PassengerID`, `Fullname`, `Flight`,
`Destination`) VALUES (66, 'Kieran Johnston', 'FL405', 'Johannesburg');

```

```
INSERT INTO `Passengers` (`PassengerID`, `Fullname`, `Flight`,  
`Destination`) VALUES (67, 'Kamal Walters', 'FL405', 'Johannesburg');  
INSERT INTO `Passengers` (`PassengerID`, `Fullname`, `Flight`,  
`Destination`) VALUES (68, 'Wing Mathews', 'FL101', 'Cape Town');  
INSERT INTO `Passengers` (`PassengerID`, `Fullname`, `Flight`,  
`Destination`) VALUES (69, 'Charissa Bass', 'FL405', 'Johannesburg');  
INSERT INTO `Passengers` (`PassengerID`, `Fullname`, `Flight`,  
`Destination`) VALUES (70, 'Hasad Stark', 'FL203', 'Durban');  
INSERT INTO `Passengers` (`PassengerID`, `Fullname`, `Flight`,  
`Destination`) VALUES (71, 'Colby Lott', 'FL203', 'Durban');  
INSERT INTO `Passengers` (`PassengerID`, `Fullname`, `Flight`,  
`Destination`) VALUES (72, 'Aimee Osborne', 'FL101', 'Cape Town');  
INSERT INTO `Passengers` (`PassengerID`, `Fullname`, `Flight`,  
`Destination`) VALUES (73, 'Karyn Pacheco', 'FL405', 'Johannesburg');  
INSERT INTO `Passengers` (`PassengerID`, `Fullname`, `Flight`,  
`Destination`) VALUES (74, 'Asher Graves', 'FL203', 'Durban');  
INSERT INTO `Passengers` (`PassengerID`, `Fullname`, `Flight`,  
`Destination`) VALUES (75, 'Dustin Rodriguez', 'FL405', 'Johannesburg');  
# 75 records
```

SECTION B

Tickets.txt

105255264#Jillian Vincent
YP794#DUR#PLZ#2014-12-08 09:55#2014-12-08 11:00#975.58
YP689#PLZ#DUR#2014-12-12 16:45#2014-12-12 17:45#1036.54
111864400#Barbara Knapp
AS976#PLZ#CPT#2015-01-24 10:05#2015-01-24 12:10#1036.47
DM137#CPT#PLZ#2015-01-25 19:00#2015-01-25 20:45#1128.36
113612810#Wanda Hutchinson
WJ455#JNB#PLZ#2015-04-19 11:45#2015-04-19 13:15#997.52
WJ377#PLZ#JNB#2015-04-28 20:15#2015-04-28 21:40#783.21
115194993#Brendan Montgomery
CA916#JNB#CPT#2015-03-21 07:05#2015-03-21 09:10#705.25
CA177#CPT#JNB#2015-03-30 18:00#2015-03-30 20:00#987.54
115907703#Teegan Lawrence
CA916#JNB#CPT#2015-03-10 07:05#2015-03-10 09:10#705.25
CA177#CPT#JNB#2015-03-11 18:00#2015-03-11 20:00#987.54
118685037#Cleo Richardson
ZA751#PMB#CPT#2015-02-19 08:45#2015-02-19 10:20#963.12
ZA117#CPT#PMB#2015-02-22 19:10#2015-02-22 20:50#782.21
121068396#Jemima Knight
YP794#DUR#PLZ#2014-11-06 09:55#2014-11-06 11:00#975.58
YP689#PLZ#DUR#2014-11-12 16:45#2014-11-12 17:45#1036.54
133426853#Sierra Wade
TZ781#CPT#JNB#2015-04-12 06:30#2015-04-12 08:30#1012.36
TZ839#JNB#CPT#2015-04-18 14:00#2015-04-18 16:05#1025.45
147011685#Sierra Wade
AS976#PLZ#CPT#2015-03-04 10:05#2015-03-04 12:10#1036.47
DM137#CPT#PLZ#2015-03-07 19:00#2015-03-07 20:45#1128.36
151832419#Brendan Montgomery
ZF401#PMB#PLZ#2015-01-16 10:00#2015-01-16 10:50#825.36
ZF843#PLZ#PMB#2015-01-21 15:05#2015-01-21 16:00#632.45
153518381#Tamara Booth
DM628#PLZ#CPT#2014-12-26 07:45#2014-12-26 09:25#857.45
DM137#CPT#PLZ#2015-01-02 19:00#2015-01-02 20:45#1128.36
159627487#Tate Miranda
DM628#PLZ#CPT#2015-04-17 07:45#2015-04-17 09:25#857.45
DM137#CPT#PLZ#2015-04-26 19:00#2015-04-26 20:45#1128.36
161002239#Thor Hensley
PQ842#CPT#JNB#2015-01-21 11:00#2015-01-21 13:00#1002.36
TZ839#JNB#CPT#2015-01-25 14:00#2015-01-25 16:05#1025.45
171852007#Barbara Knapp
AS976#PLZ#CPT#2015-04-30 10:05#2015-04-30 12:10#1036.47
DM137#CPT#PLZ#2015-05-02 19:00#2015-05-02 20:45#1128.36
174303268#Shoshana Shepard
LK536#JNB#CPT#2014-11-18 08:25#2014-11-18 10:30#652.12
CA177#CPT#JNB#2014-11-20 18:00#2014-11-20 20:00#987.54
175216886#Wanda Hutchinson
ZA751#PMB#CPT#2015-01-28 08:45#2015-01-28 10:20#963.12
ZA117#CPT#PMB#2015-02-03 19:10#2015-02-03 20:50#782.21
175719020#Jillian Vincent
ZF401#PMB#PLZ#2014-12-06 10:00#2014-12-06 10:50#825.36
ZF843#PLZ#PMB#2014-12-07 15:05#2014-12-07 16:00#632.45
178245667#Oliver McBride
DM628#PLZ#CPT#2015-02-24 07:45#2015-02-24 09:25#857.45
DM137#CPT#PLZ#2015-02-25 19:00#2015-02-25 20:45#1128.36
186830824#Leandra Albert
DM628#PLZ#CPT#2015-01-06 07:45#2015-01-06 09:25#857.45
DM137#CPT#PLZ#2015-01-08 19:00#2015-01-08 20:45#1128.36
192603055#Alisa Wilcox
ZA751#PMB#CPT#2015-03-18 08:45#2015-03-18 10:20#963.12

ZA117#CPT#PMB#2015-03-26 19:10#2015-03-26 20:50#782.21
199155758#Germane Owens
LK536#JNB#CPT#2015-01-10 08:25#2015-01-10 10:30#652.12
CA177#CPT#JNB#2015-01-13 18:00#2015-01-13 20:00#987.54
202455310#Shoshana Shepard
LK536#JNB#CPT#2015-01-01 08:25#2015-01-01 10:30#652.12
CA177#CPT#JNB#2015-01-05 18:00#2015-01-05 20:00#987.54
210583460#Germane Owens
YP794#DUR#PLZ#2015-03-27 09:55#2015-03-27 11:00#975.58
YP689#PLZ#DUR#2015-03-30 16:45#2015-03-30 17:45#1036.54
213780740#Brendan Montgomery
ZF401#PMB#PLZ#2015-01-27 10:00#2015-01-27 10:50#825.36
ZF843#PLZ#PMB#2015-02-02 15:05#2015-02-02 16:00#632.45
214506253#Wanda Hutchinson
ZA751#PMB#CPT#2014-12-20 08:45#2014-12-20 10:20#963.12
ZA117#CPT#PMB#2014-12-25 19:10#2014-12-25 20:50#782.21
217085910#Barbara Knapp
LK536#JNB#CPT#2014-11-02 08:25#2014-11-02 10:30#652.12
CA177#CPT#JNB#2014-11-10 18:00#2014-11-10 20:00#987.54
220340491#Delilah Hebert
YP794#DUR#PLZ#2015-02-20 09:55#2015-02-20 11:00#975.58
YP689#PLZ#DUR#2015-02-21 16:45#2015-02-21 17:45#1036.54
222967406#Alisa Wilcox
AS976#PLZ#CPT#2015-04-21 10:05#2015-04-21 12:10#1036.47
DM137#CPT#PLZ#2015-04-23 19:00#2015-04-23 20:45#1128.36
227356806#Alisa Wilcox
PQ842#CPT#JNB#2015-01-19 11:00#2015-01-19 13:00#1002.36
TZ839#JNB#CPT#2015-01-21 14:00#2015-01-21 16:05#1025.45
229684837#Germane Owens
DM628#PLZ#CPT#2015-04-01 07:45#2015-04-01 09:25#857.45
DM137#CPT#PLZ#2015-04-02 19:00#2015-04-02 20:45#1128.36
229802502#Sierra Wade
AS976#PLZ#CPT#2014-11-17 10:05#2014-11-17 12:10#1036.47
DM137#CPT#PLZ#2014-11-26 19:00#2014-11-26 20:45#1128.36
230923170#Wanda Hutchinson
PQ842#CPT#JNB#2015-01-10 11:00#2015-01-10 13:00#1002.36
TZ839#JNB#CPT#2015-01-12 14:00#2015-01-12 16:05#1025.45
231340565#Tate Miranda
CA916#JNB#CPT#2014-12-06 07:05#2014-12-06 09:10#705.25
CA177#CPT#JNB#2014-12-10 18:00#2014-12-10 20:00#987.54
247320475#Oliver McBride
LK536#JNB#CPT#2014-11-25 08:25#2014-11-25 10:30#652.12
CA177#CPT#JNB#2014-11-27 18:00#2014-11-27 20:00#987.54
258369165#Cleo Richardson
ZF401#PMB#PLZ#2015-02-28 10:00#2015-02-28 10:50#825.36
ZF843#PLZ#PMB#2015-03-04 15:05#2015-03-04 16:00#632.45
261279769#Colette Raymond
LK536#JNB#CPT#2014-12-13 08:25#2014-12-13 10:30#652.12
CA177#CPT#JNB#2014-12-22 18:00#2014-12-22 20:00#987.54
266351838#Oliver McBride
AS976#PLZ#CPT#2015-03-22 10:05#2015-03-22 12:10#1036.47
DM137#CPT#PLZ#2015-03-25 19:00#2015-03-25 20:45#1128.36
266914966#Jemima Knight
LK536#JNB#CPT#2015-01-07 08:25#2015-01-07 10:30#652.12
CA177#CPT#JNB#2015-01-15 18:00#2015-01-15 20:00#987.54
270790486#Alisa Wilcox
WJ455#JNB#PLZ#2014-11-29 11:45#2014-11-29 13:15#997.52
WJ377#PLZ#JNB#2014-12-08 20:15#2014-12-08 21:40#783.21
273876910#Leandra Albert
CA916#JNB#CPT#2014-11-10 07:05#2014-11-10 09:10#705.25
CA177#CPT#JNB#2014-11-12 18:00#2014-11-12 20:00#987.54
279681919#Wanda Hutchinson
TZ781#CPT#JNB#2014-12-28 06:30#2014-12-28 08:30#1012.36
TZ839#JNB#CPT#2014-12-30 14:00#2014-12-30 16:05#1025.45

286124279#Leandra Albert
LK536#JNB#CPT#2015-01-14 08:25#2015-01-14 10:30#652.12
CA177#CPT#JNB#2015-01-15 18:00#2015-01-15 20:00#987.54
286692016#Thor Hensley
YP794#DUR#PLZ#2015-03-22 09:55#2015-03-22 11:00#975.58
YP689#PLZ#DUR#2015-03-23 16:45#2015-03-23 17:45#1036.54
295073567#Aidan Blanchard
TZ781#CPT#JNB#2015-04-14 06:30#2015-04-14 08:30#1012.36
TZ839#JNB#CPT#2015-04-19 14:00#2015-04-19 16:05#1025.45
298856833#Tamara Booth
WJ455#JNB#PLZ#2015-01-12 11:45#2015-01-12 13:15#997.52
WJ377#PLZ#JNB#2015-01-15 20:15#2015-01-15 21:40#783.21
302014884#Wanda Hutchinson
DM628#PLZ#CPT#2015-01-03 07:45#2015-01-03 09:25#857.45
DM137#CPT#PLZ#2015-01-08 19:00#2015-01-08 20:45#1128.36
306450064#Thor Hensley
YP794#DUR#PLZ#2015-05-13 09:55#2015-05-13 11:00#975.58
YP689#PLZ#DUR#2015-05-17 16:45#2015-05-17 17:45#1036.54
307012187#Brendan Montgomery
CA916#JNB#CPT#2015-03-06 07:05#2015-03-06 09:10#705.25
CA177#CPT#JNB#2015-03-16 18:00#2015-03-16 20:00#987.54
311989762#Brendan Montgomery
AS976#PLZ#CPT#2015-01-05 10:05#2015-01-05 12:10#1036.47
DM137#CPT#PLZ#2015-01-15 19:00#2015-01-15 20:45#1128.36
312577476#Germane Owens
WJ455#JNB#PLZ#2014-12-01 11:45#2014-12-01 13:15#997.52
WJ377#PLZ#JNB#2014-12-02 20:15#2014-12-02 21:40#783.21
312969437#Tamara Booth
ZF401#PMB#PLZ#2015-05-20 10:00#2015-05-20 10:50#825.36
ZF843#PLZ#PMB#2015-05-22 15:05#2015-05-22 16:00#632.45
314714349#Sierra Wade
ZF401#PMB#PLZ#2015-02-15 10:00#2015-02-15 10:50#825.36
ZF843#PLZ#PMB#2015-02-17 15:05#2015-02-17 16:00#632.45
327995425#Cleo Richardson
AS976#PLZ#CPT#2015-02-13 10:05#2015-02-13 12:10#1036.47
DM137#CPT#PLZ#2015-02-15 19:00#2015-02-15 20:45#1128.36
329268658#Oliver McBride
AS976#PLZ#CPT#2015-03-28 10:05#2015-03-28 12:10#1036.47
DM137#CPT#PLZ#2015-04-04 19:00#2015-04-04 20:45#1128.36
330823134#Cleo Richardson
TZ781#CPT#JNB#2015-05-14 06:30#2015-05-14 08:30#1012.36
TZ839#JNB#CPT#2015-05-21 14:00#2015-05-21 16:05#1025.45
331491637#Oliver McBride
YP794#DUR#PLZ#2014-12-23 09:55#2014-12-23 11:00#975.58
YP689#PLZ#DUR#2014-12-27 16:45#2014-12-27 17:45#1036.54
335804770#Delilah Hebert
WJ455#JNB#PLZ#2015-05-04 11:45#2015-05-04 13:15#997.52
WJ377#PLZ#JNB#2015-05-07 20:15#2015-05-07 21:40#783.21
343584357#Cleo Richardson
ZF401#PMB#PLZ#2015-01-16 10:00#2015-01-16 10:50#825.36
ZF843#PLZ#PMB#2015-01-21 15:05#2015-01-21 16:00#632.45
346089136#Alisa Wilcox
DM628#PLZ#CPT#2015-03-27 07:45#2015-03-27 09:25#857.45
DM137#CPT#PLZ#2015-03-30 19:00#2015-03-30 20:45#1128.36
347183897#Thor Hensley
CA916#JNB#CPT#2014-12-19 07:05#2014-12-19 09:10#705.25
CA177#CPT#JNB#2014-12-23 18:00#2014-12-23 20:00#987.54
350071139#Delilah Hebert
WJ455#JNB#PLZ#2015-05-16 11:45#2015-05-16 13:15#997.52
WJ377#PLZ#JNB#2015-05-18 20:15#2015-05-18 21:40#783.21
351511045#Jillian Vincent
PQ842#CPT#JNB#2015-01-21 11:00#2015-01-21 13:00#1002.36
TZ839#JNB#CPT#2015-01-23 14:00#2015-01-23 16:05#1025.45
354575780#Wanda Hutchinson
CA916#JNB#CPT#2014-11-18 07:05#2014-11-18 09:10#705.25
CA177#CPT#JNB#2014-11-19 18:00#2014-11-19 20:00#987.54